Aquaculture Research

Volume 31
Pages 1–960

Blackwell
Science

Published by Blackwell Science
Editorial Offices:
Blackwell Science Ltd, 23 Ainslie Place, Edinburgh EH3 6AJ, UK
Blackwell Science Ltd, 25 John Street, London WC1N 2BL, UK
Blackwell Science Ltd, Osney Mead, Oxford OX2 0EL, UK
Blackwell Science Asia Pty, 54 University Street (PO Box 378), Carlton South, Victoria 3053, Australia
Blackwell Science Europe Ltd, 10 rue Casimir Delavigne, F-75006 Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 3F, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 103-0001, Japan
Blackwell Science Inc., Suite 500, 5th Floor, 238 Main Street, Cambridge, MA 012142, USA

© 2000 Blackwell Science Ltd

Authorization to photocopy for internal or personal use or for the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users registered within the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editors, *Aquaculture Research* 1355-557X/00 $15.00.

ISSN 1355-557X

Typeset and printed by Information Press, Oxford

Contents

Volume 31 Number 1, January 2000

1 Genetics in the aquaculture industry *A J Lymbery, R G Doupé, G Jenkins and T Thorne*
3 Integrating molecular genetic technology with traditional approaches for genetic improvement in aquaculture species *G P Davies and D J S Hetzel*
11 Genetic improvement of marine fish – which method for industry? *W Knibb*
25 Genetic improvement of cold-water fish species *T Gjedren*
35 Genetic improvement of the Pacific oyster *Crassostrea gigas* (Thunberg) in Australia *R D Ward, L J English, D J McGoldrick, G B Maguire, J A Nell and P A Thompson*
45 The Sydney rock oyster *Saccostrea glomerata* (Gould 1850) breeding programme: progress and goals *J A Nell, I R Smith and C C McPhee*
51 Genetic improvement programmes in abalone: what is the future? *N G Elliott*
61 A review of genetic improvement in growth rate in redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda: Parastacidae) *C M Jones, C P McPhee and I M Ruscoe*
69 Genetic improvement of marron *Cherax tenuimanus* Smith and yabbies *Cherax* spp. in Western Australia *C S Lawrence and N M Morrissy*
83 Genetic implications of translocation and stocking of fish species, with particular reference to Western Australia *T F Cross*
95 Population genetic structure in penaeld prawns *J A H Benzie*
121 Should we allow human-induced migration of the Indo–West pacific fish, barramundi *Lates calcarifer* (Bloch) within Australia? *C P Keenan*
133 Measuring and interpreting genetic structure to minimize the genetic risks of translocations *M S Johnson*

Workshop summaries

145 Genetic improvement in the Australian aquaculture industry *A J Lymbery*
151 Managing translocations of aquatic species *R G Doupé and A J Lymbery*

Volume 31, Number 2, February 2000

157 Metabolic characteristics of the Japanese clam *Ruditapes philippinarum* (Adams & Reeve) during aerial exposure *F Ali and K Nakamura*
167 Effect of dissolved oxygen and temperature on growth, survival and body composition of juvenile *Farfantepenaeus californiensis* (Holmes) *L Ocampo, H Villarreal, M Vargas, G Portillo and F Magallón*
173 Fecundity, egg development and growth of juvenile crayfish *Procambarus (Austrocambarus) llamasi* (Villalobos 1955) under laboratory conditions *M Rodríguez-Serna, C Carmona-Osalde, M A Olvera-Novoa and J L Arredondo-Figuero*
181 Effect of dietary protein level on growth and food utilization in juvenile Murray cod *Maccullochella peelii peelii* (Mitchell) *R M Gunasekera, S S De Silva, R A Collins, G Gooley and B A Ingram*
189 Induced reproductive responses of the neotropical anostomid fish *Leporinus elongatus* Val. under captive breeding *Y Sato, N Fenerich-Verani, J R Verani, L J S Vieira and H P Godinho*
195 Digestibility and amino acid availability of three protein-rich ingredient-incorporated diets by Murray cod *Maccullochella peelii peelii* (Mitchell) and the Australian shortfin eel *Anguilla australis* Richardson *S S De Silva, R M Gunasekera and G Gooley*
207 Utilization of hydrolysed potato starch by juvenile Atlantic salmon *Salmo salar* L., when using a restricted feeding regime *G I Hemre, S Y Shiau, D F Deng, T Storebakken and S S O Hung*

213 The use of locally produced fish meal and other dietary manipulations in practical diets for rainbow trout *Oncorhynchus mykiss* (Walbaum) *C Barrias and A Oliva-Teles*
219 Interaction of temperature and photoperiod on growth of Atlantic halibut *Hippoglossus hippoglossus* L. *T M Jonassen, A K Imsland, S Kadowaki and S O Stefansson*

Volume 31, Number 3, March 2000

229 Introduction to the special issue on 'Cryopreservation of gametes in aquatic species' *F Lahnsteiner*
231 Cryopreservation of sperm in marine fish *M Suquet, C Dreanno, C Fauvel, J Cosson and R Billard*
245 Semen cryopreservation in the Salmonidae and in the Northern pike *F Lahnsteiner*
259 Cryopreservation of aquatic invertebrate semen: a review *J-C Gwo*
273 Fractional factorial design of screening experiments on cryopreservation of fish sperm *I Babiak, E Brzuska and J Perkowski*
283 Changes in the flagellum morphology of intact and frozen/thawed Siberian sturgeon *Acipenser baerii* (Brandt) sperm during motility *R Billard, J Cosson and O Linhart*
289 Characterization of rainbow trout milt collected with a catheter: semen parameters and cryopreservation success *J Glogowski, M Kwasnik, B Piros, K Dabrowski, K Goryczko, S Dobosz, H Kuzminski and A Ciereszko*
297 Source of dietary lipid affects sperm plasma membrane integrity and fertility in rainbow trout *Oncorhynchus mykiss* (Walbaum) after cryopreservation *C Pustowka, M A McNiven, G F Richardson and S P Lall*
307 Cryopreservation of Arctic charr, *Salvelinus alpinus* (L.), semen in various extenders and in three sizes of straw *G F Richardson, T L Miller and M A McNiven*
317 The effect of cryoprotectants on the motility and fertilizing capacity of cryopreserved African catfish *Clarias gariepinus* (Burchell 1822) sperm *Á Horváth and B Urbányi*
325 Field emission scanning electron microscopy and transmission electron microscopy studies of the chorion, plasma membrane and syncytial layers of the gastrula-stage embryo of the zebrafish *Brachydanio rerio*: a consideration of the structural and functional relationships with respect to cryoprotectant penetration *D M Rawson, T Zhang, D Kalicharan and W J Jongebloed*

Volume 31, Number 4, April 2000

337 Evaluation of crude palm oil and refined palm olein as dietary lipids in pelleted feeds for a tropical bagrid catfish *Mystus nemurus* (Cuvier & Valenciennes) *W-K Ng, M-C Tee and P-L Boey*
349 Survival, growth and dressing traits of triploid hybrids between rainbow trout and three charr species *J M Blanc, F Vallée and M Dorson*
359 Effect of unionized ammonia, viscosity and protozoan contamination on the enzyme activity of the rotifer *Brachionus plicatilis A B de Araujo, T W Snell and A Hagiwara*
367 Indicators of reproductive performance in rainbow trout *Oncorhynchus mykiss* (Walbaum), selected for high and low responsiveness to stress *T G Pottinger and T R Carrick*
377 Feeding larvae of winter flounder *Pseudopleuronectes americanus* (Walbaum) with live prey or microencapsulated diet: linear growth and protein, RNA and DNA content *I Ben Khemis, J de la Noue and C Audet*
387 Carbon and nitrogen budgets in shrimp ponds of extensive mixed shrimp–mangrove forestry farms in the Mekong delta, Vietnam *D M Alongi, D J Johnston and T T Xuan*
401 Effect of induced hyperoxia on the antioxidant status of Atlantic salmon *Salmo salar* L. fed three different levels of dietary vitamin E *B Lygren, K Hamre and R Waagbø*

Volume 31, Number 5, May 2000

409 Effect of fertilization frequency on pond productivity and fish biomass in still water ponds stocked with *Cirrhinus mrigala* (Ham.) *S K Garg and A Bhatnagar*

415 Growth and production of hatchery-reared juvenile spotted babylon Babylonia areolata Link 1807 cultured to marketable size in intensive flowthrough and semi-closed recirculating water systems *N Chaitanawisuti and A Kritsanapuntu*

421 Incidence of conjoined twins in tilapia after thermal shock induction of polyploidy *M Owusu-Frimpong and J A Hargreaves*

427 Effects of temperature and light intensity on the growth and toxicity of *Heterosigma akashiwo* (Raphidophyceae) *K Ono, S Khan and Y Onoue*

435 Investigation into the mode of inheritance of allozyme and random amplified polymorphic DNA markers in tilapia *Oreochromis mossambicus* (Peters) *S A Appleyard and P B Mather*

447 Phosphorus release rates from freshwater sediments affected by fish farming *P F Temporetti and F L Pedrozo*

457 Artificial spawning of carp *Cyprinus carpio* L.: differences between the effects on reporduction in females of Polish and Hungarian provenance treated with carp pituitary and (D-Ala6) GnRH ProNHEt (Kobarelin) *E. Brzuska*

467 Mass production of hybrid magur and its culture potential in Bangladesh *M M R Khan, M F A Mollah and G U Ahmed*

Short communications

473 Righting and recessing ability of wild and naive cultivated scallops *D Minchin, H Skjaeggestad, G A Haugum and Ø Strand*

475 *In vitro* protein digestibility of *Artemia* decapsulated cysts and nauplii, and of microbound diets for larval fish *A García-Ortega, A Koussoulaki, H Boer and J Verreth*

479 Book Review

Volume 31, Number 6, June 2000

481 *Edwardsiella tarda* isolated in integrated fish farming *M C S Muratori, A L de Oliveira, L P Ribeiro, R C Leite, A P R Costa and M C C da Silva*

485 Overwintering performance of Nile tilapia *Oreochromis niloticus* (L.) broodfish and seed at ambient temperatures in northern Vietnam *N C Dan and D C Little*

495 Swimming activity and energetic expenditure of captive rainbow trout *Oncorhynchus mykiss* (Walbaum) estimated by electromyogram telemetry *S J Cooke, K P Chandroo, T A Beddow, R D Moccia and R S McKinley*

507 Effect of dietary sodium chloride acclimation on growth and plasma thyroid hormones in tilapia *Oreochromis niloticus* (L.) in relation to sex *A Fontaínhas-Fernandes, M Monteiro, E Gomes, M A Reis-Henriques and J. Coimbra*

519 Viral-like particles associated with cuticular epithelium necrosis in cultured *Litopenaeus vannamei* (Decapoda: Crustacea) in Ecuador *R Jiménez, R Barniol, L de Barniol, M Machuca and X Romero*

529 Use of premature New Zealand dredge oyster *Tiostrea lutaria* Hutton larvae for spat production *R W Hickman*

537 Comparison of tricaine methanesulphonate (MS222) and clove oil anaesthesia effects on the physiology of juvenile chinook salmon *Oncorhynchus tshawytscha* (Walbaum) *G K Cho and D D Heath*

547 Growth and survival of juvenile yellowtail flounder *Pleuronectes ferrugineus* (Storer) under different photoperiods *C F Purchase, D L Boyce and J A Brown*

Volume 31, Number 7, July 2000

553 Comparison of the fillet yield, protein content and amino acid profile of *Clarias gariepinus* and the *Clarias gariepinus* × *Heterobranchus longifilis* hybrid *L K Oellermann and T Hecht*

557 Dietary vitamin C and E supplementation and reproduction of milkfish *Chanos chanos* Forsskal *A C Emata, I G Borlongan and J P Damaso*

565 Fertilization, hatching, survival and growth rates in reciprocal crosses of two strains of an African catfish *Heterobranchus longifilis* Valenciennes 1840 under controlled hatchery conditions *D Nguenga, G G Teugels and F Ollevier*

575 Survival of captive milkfish *Chanos chanos* Forsskal broodstock subjected to handling and transport *L M B Garcia, G V Hilomen-Garcia and A C Emata*

585 Utilization of fish and animal by-product meals in low-pollution feeds for rainbow trout *Oncorhynchus mykiss* (Walbaum) *S H Sugiura, J K Babbitt, F M Dong and R W Hardy*

595 Dietary substitution of soy and rapeseed protein concentrates for fish meal, and their effects on growth and nutrient utilization in gilthead seabream *Sparus aurata* L. *G Wm Kissil, I Lupatsch, D A Higgs and R W Hardy*

603 Growth and survival of the grouper *Epinephelus coioides* (Hamilton) at different loading rates in tanks *T A Ahmad, S M El-Dakour and C R El-Zahar*

609 Effect of light intensity and photoperiod on Nile tilapia *Oreochromis niloticus* L. seed production *M T Ridha and E M Cruz*

Volume 31, Number 8/9, August/September 2000

619 Live feeds and microparticulate diets *J A Nell*

621 The influence of algal ration and larval density on growth and survival of blacklip pearl oyster *Pinctada margaritifera* (L.) larvae *M S Doroudi and P C Southgate*

627 Algal diets for broodstock maintenance of the doughboy scallop *Mimachlamys asperrima* (Lamarck) *W A O'Connor, M P Heasman and S J O'Connor*

637 Development of extended shelf-life microalgae concentrate diets harvested by centrifugation for bivalve molluscs – a summary *M Heasman, J Diemar, W O'Connor, T Sushames and L Foulkes*

661 Evaluation of centrifuged microalgae concentrates as diets for *Penaeus monodon* Fabricius larvae *F M L D'Souza, D Lecossois, M P Heasman, J A Diemar, C J Jackson and R C Pendrey*

671 Increasing the growth of juvenile Pacific oysters *Crassostrea gigas* by supplementary feeding with microalgal and dried diets *M R Brown and M A McCausland*

683 Survival and growth of *Litopenaeus vannamei* (Boone) larvae fed a single dose of live algae and artificial diets with supplements *R S Sangha, A C Puello Cruz, M C Chavez-Sanchez and D A Jones*

691 Nutritional assessment and feed intake of microparticulate diets in crustaceans and fish *S Teshima, M Ishikawa and S Koshio*

703 The elusive copepods: their production and suitability in marine aquaculture *J G Støttrup*

713 GABA enhances reproduction of the rotifer *Brachionus plicatilis* Muller: application to mass culture *W G Gallardo, A Hagiwara and T W Snell*

719 Mysid culture: lowering costs with alternative diets *P M Domingues, R Fores, P E Turk, P G Lee and J P Andrade*

Volume 31, Number 10, October 2000

729 The use of high rate algal ponds for the treatment of marine effluent from a recirculating fish rearing system *P Pagand, J-P Blancheton, J Lemoalle and C Casellas*

737 The effects of dietary NaCl supplement on hypo-osmoregulatory ability and sea water performance of Arctic charr (*Salvelinus alpinus* L.) smolts *M Staurnes and B Finstad*

745 The potential for soluble and transport loss of particulate aquaculture wastes *M F Thusty, K Snook, V A Pepper and M R Anderson*

757 Protein digestibility and amino acid availability of several protein sources for juvenile Chinese hairy crab *Eriocheir sinensis* H. Milne-Edwards (Decapoda, Grapsidae) *Y Y Mu, T J Lam, J Y Guo and K F Shim*

767 Growth, feed utilization and carcass composition of *Clarius batrachus* (Linn.) fingerlings fed on dried fish and chicken viscera incorporated diets *S S Giri, S K Sahoo, A K Sahu and P K Mukhopadhyay*

773 When should pearl oyster, *Pinctada margaritifera* (L.), spat be transferred from the hatchery to the ocean? *J H Pit and P C Southgate*

779 Genetic characterization of wild Dutch common carp (*Cyprinus carpio* L.) *M W T Tanck, H C A Baars, K Kohlmann, J J Van der Poel and J Komen*

785 Quantification of cholesterol oxidation products in commercial fish meals and their formation during storage *M Scolari, U Luzzana, L Stefani, T Mentasti, V M Moretti, F Valfrè, C López and R W Hardy*

Volume 31, Number 11, November 2000

793 Editorial *M J Costello and G Boxshall*

795 Laboratory and field investigations of salmon lice [*Lepeophtheirus salmonis* (Krøyer)] infestation on Atlantic salmon (*Salmo salar* L.) post-smolts *B Finstad, P A Bjørn, A Grimnes and N A Hvidsten*

805 Egg production in the salmon louse [*Lepeophtheirus salmonis* (Krøyer)] in relation to origin and water temperature *P A Heuch, J R Nordhagen and T A Schram*

815 Development of microsatellite PCR typing methodology for the sea louse, *Lepeophtheirus salmonis* (Krøyer) *D V Nolan, S A M Martin, Y Kelly, K Glennon, R Palmer, T Smith, G P McCormack and R Powell*

823 Juvenile *Lepeophtheirus salmonis* (Krøyer) affect the skin and gills of rainbow trout *Oncorhynchus mykiss* (Walbaum) and the host response to a handling procedure *D T Nolan, N M Ruane, Y van der Heijden, E S Quabius, J Costelloe and S E Wendelaar Bonga*

835 Modelling the effects of capture and sea lice [*Lepeophtheirus salmonis* (Krøyer)] infestation on the cortisol stress response in trout *W R Poole, D Nolan and O Tully*

843 Does the Aquasmart™ feeding system reduce sea louse [*Lepeophtheirus salmonis* (Krøyer)] infestation on farmed Atlantic salmon (*Salmo salar* L.) in winter? *A R Lyndon and J P G Toovey*

849 Variation in sensitivity of sea lice [*Lepeophtheirus salmonis* (Krøyer)] to dichlorvos on Irish salmon farms in 1991–1992 *O Tully and Y McFadden*

855 Resistance of sea lice, *Lepeophtheirus salmonis* (Krøyer), to hydrogen peroxide on farmed Atlantic salmon, *Salmo salar* L. *J M Treasurer, S Wadsworth and A Grant*

861 Efficacy of teflubenzuron (Calicide®) for the treatment of sea lice, *Lepeophtheirus salmonis* (Krøyer 1838), infestations of farmed Atlantic salmon (*Salmo salar* L.) *E J Branson, S S Rønsberg and G Ritchie*

869 A review of the use of ivermectin as a treatment for sea lice [*Lepeophtheirus salmonis* (Krøyer) and *Caligus elongatus* Nordmann] infestation in farmed Atlantic salmon (*Salmo salar* L.) *I M Davies and G K Rodger*

Volume 31, Number 12, December 2000

885 Nutritional effects of protein source in starter diets for channel catfish (*Ictalurus punctatus* Rafinesque) in suboptimal water temperature *D M S D El-Saidy, K Dabrowski and S C Bai*

893 The effect of enviromental factors, depth and position on the growth and mortality of raft cultured blue mussels (*Mytilus edulis* L.) *S Karayücel and İ Karayücel*

901 Growth and survival of the Calafia mother-of-pearl oyster *Pinctada mazatlanica* (Hanley 1856) under different sequences of nursery culture–late culture at Bahía de La Paz, Baja California Sur, México *M Monteforte and S Morales-Mulia*

917 Effects of feeding frequency and dietary energy level on growth and body composition of juvenile flounder, *Paralichthys olivaceus* (Temminck & Schlegel) *S-M Lee, S H Cho and D-J Kim*

923 Effects of rearing stress on Atlantic salmon (*Salmo salar* L.) antibody response to a non-pathogenic antigen *I E Einarsdóttir, K J Nilssen and M Iversen*

931 Predation capacity of tadpoles (*Bufo regularis*) using African catfish *Heterobrunchus longifilis* larvae: impact of prey characteristics on vulnerability to predation *D Nguenga, I Forbin, G G Teugels and F Ollevier*

937 Technical efficiency of carp production in India: a stochastic frontier production function analysis *K R Sharma and P S Leung*

949 Author Index

955 Subject Index